

Midwest Comprehensive Visualization Dashboards: Environmental Justice and Neighborhood Schools in Chicago, Illinois: Part 1

Joel Flax-Hatch, Apostolis Sambanis, and Michael D. Cailas, with the participation of
Greg Arling, Fabio Miranda, and Kristin Osiecki

Resumen

El programa de Gestión de Emergencias y Planificación de la Resiliencia (EMRP por sus siglas en inglés) de la Escuela de Salud Pública de la UIC (UIC-SPH por sus siglas en inglés) desarrollará una serie de Tableros de Mando para la Visualización Integral en el Medio Oeste (MCVD por sus siglas en inglés) que tratan sobre cuestiones de salud y justicia ambiental (EJ por sus siglas en inglés). El primer tablero, y el estudio de fondo en el que se basa, tuvo como objetivo identificar la distribución de las instalaciones de notificación del inventario de emisiones tóxicas (TRI por sus siglas en inglés) en relación con las escuelas públicas a varias distancias que van de 0.5 a 2.0 millas. Como uno de los parámetros críticos del estudio se seleccionó la exposición potencial que pueden tener los niños en las escuelas públicas del barrio, desde el jardín de infancia hasta el octavo grado (k-8), debido a su vulnerabilidad y a su condición de residencia relativamente inmóvil. El estudio actual de la UIC-SPH descubrió que:

- ❖ En un radio de 1 milla es probable que las instalaciones de notificación del TRI se concentren cerca de las escuelas públicas del barrio en comunidades con una población estudiantil predominantemente latina.
- ❖ El beneficio medioambiental de no tener una instalación del TRI cerca de las escuelas no se distribuye por igual en las comunidades de Chicago. Los niños en edad escolar de familias latinas se encuentran en una situación de disparidad en comparación con el resto de los grupos raciales.

Este estudio se centró únicamente en el número de instalaciones de notificación del TRI. En esta fase no se tuvo en cuenta la toxicidad de los contaminantes emitidos, las carreteras industriales necesarias para dar servicio a estas instalaciones (y la contaminación atmosférica de fuentes móviles que las acompaña), los terrenos baldíos, etc. No obstante, los resultados anteriores componen un cuadro sorprendente de disparidad en cuanto a la distribución de las instalaciones de notificación del TRI en Chicago y su proximidad a las escuelas públicas del barrio con una población estudiantil predominantemente latina.

Summary

The UIC School of Public Health (UIC-SPH) Emergency Management and Resiliency Planning (EMRP) program will be developing a series of Midwest Comprehensive Visualization Dashboards (MCVD) dealing with environmental health and justice (EJ) issues. The first dashboard and the background study, which it is based on, aims to identify the distribution of toxic release inventory (TRI) reporting facilities in relation to public schools at various distances ranging from 0.5 to 2.0 miles. As a critical study parameter, the potential exposure of children in neighborhood public schools from kindergarten to 8th-grade (k-8) was selected due to their vulnerability and relatively immobile residency status. The current UIC-SPH study found that:

- ❖ at a 1-mile radius, TRI facilities are likely to be concentrated near neighborhood public schools in communities with a predominantly Latinx student population.
- ❖ the environmental benefit of not having a TRI facility near schools is not equally distributed in Chicago communities. School children from Latinx families are at a disparity compared to all the other races.

This study is focused on the number of TRI reporting facilities only. At this phase, it did not account for the toxicity of the emitted pollutants, the industrial roads required to service these facilities (and the accompanying mobile source air pollution), brownfields, etc. Nevertheless, the above findings compose a striking picture of disparity regarding the distribution of TRI reporting facilities in Chicago and their proximity to neighborhood public schools with a predominantly Latinx student population.

The MCVD interactive maps are at the following link:

➤ <https://univofillinois.maps.arcgis.com/apps/dashboards/975bf6c0b41e4274a22adf8388987b56>

1.0 COMPREHENSIVE VISUALIZATION DASHBOARDS


The UIC School of Public Health (UIC-SPH) Emergency Management and Resiliency Planning (EMRP) program will be developing a series of Midwest Comprehensive Visualization Dashboards (MCVD) dealing with environmental health and justice (EJ) issues in this region. The primary objective of the current dashboard (MCVD:EJ.1) is to create visualizations that lead to operational insights supporting data-driven decisions to resolve the EJ issues. It is the first in a series of dashboards aiming to identify the distribution of environmental hazards in Chicago neighborhoods.

2.0 BACKGROUND AND OBJECTIVES

The Illinois Environmental Justice Act (415 ILCS 155/1) aims to "ensure that communities are not disproportionately impacted by degradation of the environment or receive a less than equitable share of environmental protection and benefits." The core concept of this act is Environmental Justice (EJ) which "is based on the principle that all people should be protected from environmental pollution and have the right to a clean and healthy environment. Environmental justice is the protection of the health of the people of Illinois and its environment, equity in the administration of the State's environmental programs, and the provision of adequate opportunities for meaningful involvement of all people with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies."

A prerequisite for validating the state of EJ in a community is identifying disparities in the distribution of environmental benefits and burdens. In a previous study involving Chicago neighborhoods, the distribution of environmental hazards were documented, focusing on the South West area of the city.¹ In this study, a different approach is adopted. The emphasis is placed on a sensitive and relatively immobile population living in these communities: kindergarten (age 5 to 6) to 8th-grade school children (henceforth K-8). In recognition of their vulnerability, the 1997 Executive Order (EO) 13045 (62 FR 19885; April 23, 1997), states that "each Federal agency: (1) shall make it a high priority to identify and assess environmental health risks and safety risks that may disproportionately affect children; and (2) shall ensure that its policies, programs, activities, and standards address disproportionate risks to children that result from environmental health risks or safety risks." Guided by this EO the Office of Children's Health Protection (OCHP) was created aiming to "ensure that all EPA actions and programs address the unique vulnerabilities of children." At a local level, the Chicago Public School (CPS) district administration implicitly recognizes the importance of environmental equity stating that "equity is more than a series of stand-alone initiatives: it is the driving core value which informs every decision we make, from capital improvements to curriculum design."²

For the current study and to avoid residency/location issues, students in neighborhood public schools were only included since most of these children are likely to reside in the local communities where the schools are. Based on the information from the CPS district data portal, the K-8 student population for the 2016-2017 school year was 181,357, concentrated in 328 schools. The adjacent figure depicts the racial composition of this population; as seen, almost half of the student body is Latinx. Poverty is another prominent characteristic, with 79.1% of these students living in below-poverty households.



The emissions from Toxic Release Inventory (TRI) reporting facilities in the Southwest area of the City is a well documented source of hazards.¹ The TRI information and data portal is a resource for the public to learn about toxic chemical releases reported by industrial facilities and was created by the Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA, 1986).

The distribution of TRI reporting facilities in relation to public schools at various distances ranging from 0.5 to 2.0 miles is the critical parameter for validating the state of EJ in this study. Under the environmental equity principle, the proximity of schools to TRI facilities should be randomly distributed regardless of location and the community's socioeconomic position (SEP) characteristics. A total lack of disparities (i.e., random distribution) is an unlikely status due to the asynchronous development of industrial zones, urban development, and school districts expansion in Chicago. For this reason, it is important to quantify the state of disparities and identify the overburdened areas. The distribution of environmental disparities is vital for prioritizing amelioration and re-zoning programs within the city (e.g., Greening of Industry initiatives which is "a method to attain sustainable economic growth and promote sustainable economies. It includes policymaking, improved industrial production processes, and resource-efficient productivity."³). In addition, these overburdened areas with their vulnerable population qualify to become the prime site locations for air quality monitoring networks by state or city environmental quality agencies.

The primary goal of the current MCVD:EJ.1 is to provide the means to visualize the level of disparities in the City of Chicago regarding the proximity of TRI reporting facilities to schools. In this context, the term "disparities" refers to the hypothesis that school children do not share equally (proportionally) the hazards posed by the TRI facilities. Spatial hazard distribution disparities do not necessarily imply an elevated health risk due to exposure; however, they signify a structural inequity that cannot be ignored.

3.0 DATA SOURCES AND LIMITATIONS

The primary data sources for this study are:

- Chicago Public Schools (CPS) - School Profile Information SY1617. Available at: <https://data.cityofchicago.org/Education/Chicago-Public-Schools-School-Profile-Information-/8i6r-et8s/data>
- USEPA Toxics Release Inventory (TRI) Program (2017 data). Available at: <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>

Data preparation and preliminary analysis was performed with the IBM® SPSS® Modeller 18.2.1. Geospatial data integration, mapping, and spatial analysis were performed using ESRI's ArcGIS Pro. The socioeconomic data used to study the characteristics of the study area were obtain from the U.S. Census Bureau American Community Survey; 2018 release of 5-year estimates.

The TRI data portal has a section on the "Important Considerations for Using TRI Data" that lists the characteristics and limitations of this database.

A limitation for this and similar spatial proximity studies is that environmental quality monitoring data are not available to explore associations with health outcomes. For this reason, surrogates of hazard exposure are used, the most common being proximity measures.⁴ As stated in our objectives section above, the MCVD: EJ.1 does not aim to identify health outcomes related to potential exposures. At this stage of the study, the MCVD can be used as a tool for prioritizing re-zoning strategies, implementing industrial greening initiatives, and identifying air quality monitoring sites that will yield reliable data for health outcome studies.

Data availability dictates the time frame of this study (2017). Given the assumption that the societal distribution of the burden of environmental hazards is not a status that evolves rapidly in time; then, this selected time frame is timely. For practical and communication purposes, the selected spatial scale of analysis for this MCVD is the recognizable Chicago community area level. The potential for scale effects can not be ignored and it is a topic that is further explored in a forthcoming publication.

4.0 PROXIMITY TO TRI FACILITIES

For the current MCVD, a radius of 1.0 mile is used for each one of the neighborhood schools in Chicago; in the original study, 0.5, 1.0, 1.5, and 2.0 miles radii are applied to compare results (not shown). To establish a meaningful proximity metric of the environmental burden distribution, we will introduce the TRI school proximity burden score (henceforth, for brevity, proximity burden). For each school, i , the 1-mile proximity burden score is defined as:

$$(proximity\ burden)_i = (TRI\ school\ proximity\ burden)_i = (PSS \times TRIs)_i$$

where:

PSS = the percent of neighborhood school students (from the total student population) in each school, i .

$TRIs$ = the number of TRI reporting facilities near school i , within (for this case) a 1-mile radius.

This metric establishes the distribution of the 1-mile proximity burden for each school, i , as a relative (to the other schools) score in the study area (i.e., City of Chicago). For this phase of the study, comparisons between individual schools have a limited value. To communicate the environmental burden reality in understandable and geographically identifiable terms, aggregation at a Chicago community area level was performed. The collective proximity burden for all the schools in each community area provides a metric to study the exposure disparities to environmental hazards imposed on the most sensitive population of these communities (see potential data limitations above). The collective proximity burden (CPB) at a Chicago community area scale, z , is defined as follows:

$$CPB_z = Collective\ Proximity\ Burden = \sum_{i=1}^{n_z} (proximity\ burden)_i = \sum_{i=1}^{n_z} (PSS \times TRIs)_i$$

where:

n_z = the number of schools in the community area z .

The CPB establishes a comparison metric for each community area in terms of the TRI proximity burden on its schools. For example, New City, a community area in the South West section of Chicago encompassing the neighborhoods of Canaryville and Back of the Yards, has ten (10) public schools (i.e., $n_z = 10$). Conceptually, the CPB score provides an estimate of the hazard distribution that each community area bears due to the proximity of its schools to TRI reporting facilities within a 1-mile radius.

Under conditions of environmental equity, the CPB scores should be normally distributed. As we noted above, this is an unlikely situation. In reality, the distribution will be skewed, and the majority of burden scores will aggregate at the low end of the distribution, with a few only scores forming the high-end tail. The sample mean of the scores provides an estimate of the "average" CPB and establishes a comparison threshold. The distances of each community's CPB score from this threshold will determine how severe the disparity is. To visualize the distribution of the TRI school proximity burden scores, we will use the following Dot Plot (Figure 1). This distribution indicates that three (3) community areas encompass schools with a burden significantly above the mean in terms of their proximity to TRI sites within a 1-mile radius (i.e., 2 standard deviations above the mean CPB).




Figure 1. Dot Plot of CPB scores with each dot representing a community area.




Figure 2. Dot Plot of CPB scores at a community area level with a value above 1.

Both Figures establish that the CPB distribution is significantly unequal. As seen, a few community areas bear a high burden (i.e., above the mean) due to the proximity of their neighborhood schools to a relative high number of TRI reporting facilities within a 1-mile radius. As stated above, "spatial hazard distribution disparities do not necessarily imply an elevated health risk due to exposure; however, they signify a structural inequity that cannot be ignored."

5.1 MCVD: The spatial CPB distribution




Figure 3. The spatial distribution of the CPB scores at a community area level


The above MCVD map shows the distribution of the CPB scores for each community area. As seen, the high burden areas are not randomly distributed within the City of Chicago and some areas are allotted a significant burden (i.e., above two (2) standard deviations from the mean; see also Figure 1). This finding underlines the need to further examine the SEP characteristics of the communities that bear the elevated proximity burden.

The original interactive maps are at:

- <https://univofillinois.maps.arcgis.com/apps/dashboards/975bf6c0b41e4274a22adf8388987b56>

5.2 MCVD: The racial dimension of disparities

The MCVD:EJ.1 provides the means to visualize the disparities and display the CPB scores (i.e., TRI Burden in Figures) in relation to the Latinx student population per community. This bivariate representation reveals the areas with an elevated burden and a high (or low) level of a Latinx student population.



The bivariate map, or more accurately choropleth map, enables users to visualize the spatial relationship between the burden and the Latinx student concentration for each community area. The tertiles of the two variables create the bivariate map, and we assigned the visually distinguishable 3x3 color scheme in the adjacent figure above. Thus, areas with an extreme discordance between the two variables are easily identified (i.e., the Low-Low and High-High light orange and dark brown edges of the color scheme).

As seen from the bivariate representation above, the three community areas identified in the previous section (bearing the highest level of TRI school proximity burden) are as well communities with a predominant Latinx student population.

6.0 BENEFIT DISTRIBUTION

The MCVD:EJ.1 study identified a number of schools with zero TRI reporting facilities at various radii. This status (i.e., zero TRI proximity) raises another question:

- are environmental benefits equally shared among the student population in Chicago?

In this context, an environmental benefit is the lack of TRI reporting facilities at various radii.

To answer this question we compare the percent of the Latinx student population that enjoys this benefit with the combined student population of all the other races (White, Black, and Asian). Numerically, the two comparison groups are almost the same.




Figure 4. Distribution of environmental benefits among two groups

The above figure underlines that the environmental benefit of a zero TRI school proximity burden is not equally distributed in Chicago. For all the radii used, the Latinx school children are consistently at a disparity in comparison to the combine student population of Black, White and Asian students. This issue will be further explored in a forthcoming publication.

7.0 CONCLUDING REMARKS

The main purpose of this paper is to introduce the MCVD as a tool for identifying disparities. From this preliminary stage of the study the following conclusion is drawn:

- TRI reporting facilities in the Chicago area are likely to be concentrated near neighborhood public schools in communities which have a predominantly Latinx student population.

The unequal distribution of the TRI school burden underlines the need to:

- Re-examine the industrial zones of Chicago and establish a carrying capacity limit by, for example, considering the areas with an elevated burden due to the proximity of their schools to TRI reporting facilities.
- Establish air quality monitoring networks in the problematic locations identified by this study. This recommendation becomes even more expedient if the other hazard sources are accounted for (e.g., industrial diesel truck traffic, non-TRI reporting facilities such as asphalt plants, etc.).

8.0 REFERENCES

1. J. Flax-Hatch, A. Sambanis, K. Osiecki, P. Geraci and M. D. Cailas. Identifying Environmental Hazards within Southwest Chicago. UIC-SPH and SEA story map. Original publication date: 20 March 2020. Based on the results presented at the Community Meeting at National Latino Education Institute 01/16/2020. Available at: <https://storymaps.arcgis.com/stories/28c9b80be613427fa07f008d72956426>.
2. CHICAGO PUBLIC SCHOOLS (CPS). Equity at CPS. <https://www.cps.edu/strategic-initiatives/equity-at-cps/>
3. United Nations Industrial Development Organization (UNIDO), Green Industry initiative. <https://www.unido.org/our-focus-cross-cutting-services-green-industry/green-industry-initiative>
4. J. Maantay. (2002). Mapping Environmental Injustices: Pitfalls and Potential of Geographic Information Systems in Assessing Environmental Health and Equity. Environmental health perspectives. 110 Suppl 2. 161-71. 10.1289/ehp.02110s2161.

Point of contact: Dr. Michael D. Cailas (mihalis@uic.edu)

AFFILIATIONS

- Arling, G.: Purdue University, School of Nursing, College of Health and Human Sciences
- Cailas, M. D. and Flax-Hatch, J.: Environmental and Occupational Health Sciences, School of Public Health, University of Illinois Chicago
- Miranda, F.: College of Engineering, Department of Computer Science, University of Illinois Chicago
- Sambanis A.: Health Policy and Administration, School of Public Health, University of Illinois Chicago
- Osiecki, K.: University of Minnesota, Rochester, Center for Learning Innovation

ACKNOWLEDGEMENTS

The authors would like to acknowledge the advice and recommendations of Ms. Cherie Weinewuth and Ms. Sue Haas that improved the publications' quality. Many thanks to the Director of Marketing and Communication, Mr. Rob Schroeder of the UIC-SPH, for his efforts to make this MCVD known to the public and to Dr. Sylvia Escárcega for the translation of the summary. The authors would also like to express their gratitude to Ms. Janet Swatscheno of the University of Illinois at Chicago Library for assisting us with the electronic filing of this paper.

This is an open-access document distributed under the terms of the Creative Commons Organization:

Attribution, Non-Commercial, No Derivatives 3.0 Unported International License (CC BY-NC-ND3.0). CCBY-NC-ND3.0: This license allows re-use to copy and distribute the material in any medium or format in unadopted form only, for non-commercial purposes, and only so long as the original authors and source are notified and credited (see citation). Derivatives of this work are not permitted.

See <http://creativecommons.org/licenses/by-nc-nd/3.0/>.

Suggested citation:

J. Flax-Hatch, A. Sambanis, M. D. Cailas, G. Arling, F. Miranda, and K. Osiecki. Midwest Comprehensive Visualization Dashboards: Environmental Justice and Neighborhood Schools in Chicago, Illinois. Part 1. UIC-SPH-EMRP program publication White Paper No. 1. Original publication date: April 10, 2021.